## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re: Janet Tompkins

Serial No. 60/428,340

Filed: 11/22/2002

For: Barium Swallowing Kit

Docket No.: 033443.00001

Mail Stop Patent Application Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

## INFORMATION DISCLOSURE STATEMENT

In compliance with the duty of disclosure set forth in 37 CFR 1.56 and 1.98, the patents listed on the attached Form PTO-1449 are submitted for possible pertinency to the examination of this application.

Respectfully submitted,

Seann P. Lahey

Registration No. 51,910 McNair Law Firm, P.A.

P.O. Box 10827

Greenville, SC 29603-0827 Telephone: (864) 232-4261 Attorney for the Applicant

Approved for use through 07/31/2006. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

033443.00001

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449/PTO Application Number 60/428,340 Filing Date 11/22/2002 INFORMATION DISCLOSURE First Named Inventor Janet Tompkins STATEMENT BY APPLICANT Art Unit (Use as many sheets as necessary) Examiner Name

Sheet 1

Attorney Docket Number

Examiner Initials*	Cite No.1	Document Number  Number-Kind Code <sup>2 (# known)</sup>	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
-		<sup>US-</sup> 3,587,576	06/28/1971	D. Reikes, et al	
		<sup>US-</sup> 3,618,751	11/09/1971	E.J. Rich	I'
		<sup>US-</sup> 3,773,243	11/20/1973	F.R. Greene	-
		<sup>US-</sup> 4,985,232	01/15/1991	P.C. Jacobssen	١ .
,		<sup>US-</sup> 6,209,718	04/03/2001	B. Mollstam, et al	
		US-		•	
		US			· // ·
		US-			
-		US-			
		US-			
•		US-			
		US-			
		US-	-		
		US-			
		US-			- 1
		US-			
•		US-			·
	<b></b>	US-			
		US-			

		FOREIG	GN PATENT DOCU	MENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages	
	ļ	Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>5</sup> (if known)	MM-DD-YYYY		Or Relevant Figures Appear	T°
						<u> </u>
						┡
	<u> </u>					-
			00 * •	• • • • •	•• "	
	ł					

Examiner Signature	-	Date Considered

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. Senter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.